



Compact size



Energy saving



Wifi connection



Retrofit



Security

## Home To HeAven



Aven Smart home solution makes the homeowners daily routine convenient and cost effective. Aven Smart home excitement has huge audience attention from the technology enthusiasts and lazy to the busy and the old to the young, all walks of life can embrace the Alexa, Voice Control.


[avennow.com](http://avennow.com)



# Aven Features



- » With Built In WiFi, Bluetooth & Cloud Technology
- » Artificial Intelligence Compatible
- » Dedicated Mobile Application
- » Two Way Feedback
- » Retrofit (No Rewiring)
- » Easy Installation And Configuration
- » Feather Touch
- » User Control Sharing
- » Works Both Manually And Remotely
- » Compatible With 3rd Party Devices
- » Interoperability With Other Home Automation Products
- » TLS1.2 Compliant Device And Cloud Security






Alexa, turn on the lights



Alexa, close the curtain



# Built To Deliver An Amazing Home Automation Experience



# Product Specifications




» Description:	Hub
» Operating Voltage:	100-240-V AC
» Operating Frequency:	50 - 60 Hz
» Enclosure:	ABS Material
» Particle lo:	Industry tested module
» Wi-fi:	IEEE802.11b/g/n(2.4GHZ)
» Bluetooth:	2.4GHZ
» Data communication:	MQTT,HTTP
» Rf frequency:	433MHZ

**MODEL NO. :** AGT-01  
**MATERIAL :** POLYCARBONATE



» Description:	2 Touch
» Power Requirments:	110-240VAC 50/60 Hz
» Power Consumption:	<200 mW
» Electrical Module Size:	2 modular
» Touch Type:	Capacitive
» Support Loads:	10 Amp & 16 Amp
» Communication:	RF 433MHz
» Dimention:	54.5mm X 71mm

**MODEL NO. :** ATP04D0S0U0-C0704V1  
**MATERIAL :** GLASS/ACRYLIC  
**COLOR :**



» Description:	4 Touch + USB
» Power Requirments:	110-240VAC 50/60 Hz
» Power Consumption:	<230 mW
» Electrical Module Size:	6 modular
» Touch Type:	Capacitive
» Support Loads:	3-10 Amp & 1-16 Amp
» Communication:	RF 433MHz
» Dimention:	240mm X 90.5mm

**MODEL NO. :** ATP04D0S1U1-C0704V1  
**MATERIAL :** GLASS/ACRYLIC  
**COLOR :**




» Description:	4 Touch + 1 Socket + USB
» Power Requirments:	110-240VAC 50/60 Hz
» Power Consumption:	<230 mW
» Electrical Module Size:	6 modular
» Touch Type:	Capacitive
» Support Loads:	3-10 Amp & 1-16 Amp
» Communication:	RF 433MHz
» Dimention:	240mm X 90.5mm

**MODEL NO. :** ATP04D0S1U1-C0704V1  
**MATERIAL :** GLASS/ACRYLIC  
**COLOR :**



# Product Specifications




- » Description: 4 Touch + 1 Dimmer
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <200 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 3-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mm X 90.5mm

**MODEL NO. :** ATP04D1S0U0-C0705V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 4 Touch + 2 Dimmer
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 3-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mm X 90.5mm

**MODEL NO. :** ATP04D2S0U0-C0706V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 4 Touch + 1 Dimmer +1 Socket
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 3-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mm X 90.5mm

**MODEL NO. :** ATP04D1S1U0-C0705V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



- » Description: 4 Touch +1 Dimmer +1 Socket + USB
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 3-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mm X 90.5mm


**MODEL NO. :** ATP04D1S1U1-C0705V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



# Product Specifications




- » Description: 4 Touch + 2 Socket
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <200 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 3-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mm X 90.5mm

**MODEL NO. :** ATP04D0S2U0-C0704V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 4 Touch + 2 Socket + USB
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 3-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mm X 90.5mm

**MODEL NO. :** ATP04D0S2U1-C0704V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 6 Touch
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 8 modular
- » Touch Type: Capacitive
- » Support Loads: 5-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX90.5mm

**MODEL NO. :** ATP06D0S0U0-C0706V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



- » Description: 6 Touch + 1 Socket
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 5-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX90.5mm


**MODEL NO. :** ATP06D0S1U0-C0706V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



# Product Specifications



- » Description: 6 Touch + 1 Socket +USB
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <200 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 5-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX90.5mm

**MODEL NO. :** ATP06D051U1-C0706V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 6 Touch + 1 Dimmer
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 6 modular
- » Touch Type: Capacitive
- » Support Loads: 5-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX90.5m

**MODEL NO. :** ATP06D150U0-C0707V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 8 Touch
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 7-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm

**MODEL NO. :** ATP08D050U0-C0708V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



- » Description: 8 Touch + Dimmer + 2 Socket
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 7-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm


**MODEL NO. :** ATP08D152U0-C0709V1

**MATERIAL :** GLASS/ACRYLIC


**COLOR :**




# Product Specifications




» Description:	4 Touch + 1 Dimmer + 1 Socket	<b>MODEL NO. :</b> ATP04D1S1U0-C0705V1
» Power Requirments:	110-240VAC 50/60 Hz	<b>MATERIAL :</b> GLASS/ACRYLIC
» Power Consumption:	<230 mW	<b>COLOR :</b> 
» Electrical Module Size:	12 modular	
» Touch Type:	Capacitive	
» Support Loads:	3-10 Amp & 2-16 Amp	
» Communication:	RF 433MHz	
» Dimention:	240mmX153mm	



» Description:	4 Touch+ 1 Dimmer + 1 Socket+USB	<b>MODEL NO. :</b> ATP04D1S1U1-C0705V1
» Power Requirments:	110-240VAC 50/60 Hz	<b>MATERIAL :</b> GLASS/ACRYLIC
» Power Consumption:	<230 mW	<b>COLOR :</b> 
» Electrical Module Size:	12 modular	
» Touch Type:	Capacitive	
» Support Loads:	3-10 Amp & 2-16 Amp	
» Communication:	RF 433MHz	
» Dimention:	240mmX153mm	




» Description:	4 Touch + 2 Socket	<b>MODEL NO. :</b> ATP04D0S2U0-C0704V1
» Power Requirments:	110-240VAC 50/60 Hz	<b>MATERIAL :</b> GLASS/ACRYLIC
» Power Consumption:	<230 mW	<b>COLOR :</b> 
» Electrical Module Size:	12 modular	
» Touch Type:	Capacitive	
» Support Loads:	3-10 Amp & 1-16 Amp	
» Communication:	RF 433MHz	
» Dimention:	240mmX153mm	



» Description:	4 Touch + 2 Socket + USB	<b>MODEL NO. :</b> ATP04D0S2U1-C0704V1
» Power Requirments:	110-240VAC 50/60 Hz	<b>MATERIAL :</b> GLASS/ACRYLIC
» Power Consumption:	<230 mW	<b>COLOR :</b> 
» Electrical Module Size:	12 modular	
» Touch Type:	Capacitive	
» Support Loads:	3-10 Amp & 1-16 Amp	
» Communication:	RF 433MHz	
» Dimention:	240mmX153mm	



# Product Specifications




- » Description: 6 Touch + 1 Socket
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 5-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm

**MODEL NO. :** ATP06D051U0-C0706V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 6 Touch + 1 Socket + USB
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 5-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm

**MODEL NO. :** ATP06D051U1-C0706V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 6 Touch + 1 Dimmer
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 5-10 Amp & 2-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm

**MODEL NO. :** ATP06D150U0-C0707V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



- » Description: 8Touch + 1 Dimmer + 2 Socket + USB
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 7-10 Amp & 2-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm


**MODEL NO. :** ATP08D152U1-C0709V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



# Product Specifications




- » Description: 10 Touch + 2 Sockets
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 9-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm

**MODEL NO. :** ATP10D052U0-C07010V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 10 Touch+2 Sockets+USB
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 12 modular
- » Touch Type: Capacitive
- » Support Loads: 7-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 240mmX153mm

**MODEL NO. :** ATP10D052U1-C07010V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**




- » Description: 4 Touch
- » Power Requirments: 110-240VAC 50/60 Hz
- » Power Consumption: <230 mW
- » Electrical Module Size: 4 modular
- » Touch Type: Capacitive
- » Support Loads: 3-10 Amp & 1-16 Amp
- » Communication: RF 433MHz
- » Dimention: 95mm X 90.5mm

**MODEL NO. :** ATP04D050U0-C0704V1

**MATERIAL :** GLASS/ACRYLIC

**COLOR :**



- » Description: Retrofit
- » Operating Voltage: 100-240-V AC
- » Operating Current: 1 Amp
- » Max load: 16Amp
- » Rf frequency: 433MHZ
- » Electrical Module Size: 2 modular, 4 modular

**MODEL NO. :** ARF04-C0704

**MATERIAL :** POLYCARBONATE

# Product Specifications




» Description:	Door Sensor
» Power Consumption:	5V DC
» Electrical Module Size:	Wireless
» Rf Frequency:	433MHz

MODEL NO. : ASN-01



» Description:	Power Meter
» Power Requirments:	100-240VAC
» Power Consumption:	5V DC
» Electrical Module Size:	Wireless
» Rf Frequency:	RF 433MHz


MODEL NO. : APR-01



» Description:	Commercial Slave
» Power Requirments:	100-240VAC
» Electrical Module Size:	4 Modular
»Rf Frequency:	433MHz
»Support Loads:	4-30Amp


MODEL NO. : ACMR04-C0704

# How It Works



## » Installation :

Replace your old modular switches with Aven smart touch panels.



## » Connect to your home Wi-Fi router :

With Aven mobile App, connect newly installed Hub and smart switches to your home Wi-Fi router.

## » Control from anywhere :

With the help of Aven mobile App, make your lights, fans & appliances smart.

# A Quick Glance:



**Easy to use**



**Voice control**



**Realtime monitoring**



**Time scheduling**



**Multi user control**




## Warranty:

- The Company, at its discretion, will replace products if they have any manufacturing defect within 5 years.
- Service charges will be applicable after 24 months of purchase.
- The above warranty is applicable when the products are selected taken into consideration all the technical characteristics of the Product published in our catalogue.
- The warranty is only applicable when the products are installed as per the Company's instructions and not tampered in any manner.
- The warranty does not extend to cover consequential loss or damage or installation costs arising from defective products.

## This warranty does not cover the following :

- Defect caused due to misuse, alteration, faulty installation, faulty electrical systems, negligent maintenance or misapplication of the product.
- Failure of product or components due to any act of nature; lightning strike, floods, hurricanes, tornadoes, etc. Beyond the control of human being.

## Available at



**YIOT Softech Pvt Ltd**  
ISO 9001:2015 Certified

Email: [info@avennow.com](mailto:info@avennow.com) Mobile: **81428 56364, 95428 88896**  
Address: Srinidhi Nest building, 2-91/18/SN/401, WHITE FIELD, KONDAPUR,  
Serilingampally Mandal, HYDERABAD 500084. TELANGANA STATE  
[www.avennow.com](http://www.avennow.com)